

Chemical Safety Data Sheet MSDS / SDS

Benzo[def]chrysene SDS

Revision Date:2024-04-25 Revision Number:1

Section 1	Section 2	Section 3	Section 4	Section 5	Section 6	Section 7	Section 8
Section 9	Section 10	Section 11	Section 12	Section 13	Section 14	Section 15	Section 16

SECTION 1: Identification of the substance/mixture and of the company/undertaking**Product identifier**

Product name: Benzo[def]chrysene

CAS: 50-32-8

Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses: For R&D use only. Not for medicinal, household or other use.

Uses advised against: none

Company Identification

Company: Chemicalbook.in

Address: 5 vasavi Layout Basaveswara Nilayam Pragathi Nagar Hyderabad, India -500090

Telephone: +91 9550333722

SECTION 2: Hazards identification**Classification of the substance or mixture**

Skin sensitization, Category 1

Germ cell mutagenicity, Category 1B

Carcinogenicity, Category 1B

Hazardous to the aquatic environment, short-term (Acute) - Category Acute 1

Hazardous to the aquatic environment, long-term (Chronic) - Category Chronic 1

Reproductive toxicity, Category 1B

GHS label elements, including precautionary statements

Pictogram(s)



Signal word

Danger

Hazard statement(s)

H317 May cause an allergic skin reaction

H340 May cause genetic defects

H350 May cause cancer

H410 Very toxic to aquatic life with long lasting effects

Precautionary statement(s)

Prevention

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.

P272 Contaminated work clothing should not be allowed out of the workplace.

P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing protection/...

P203 Obtain, read and follow all safety instructions before use.

P273 Avoid release to the environment.

Response

P302+P352 IF ON SKIN: Wash with plenty of water/...

P333+P317 If skin irritation or rash occurs: Get medical help.

P321 Specific treatment (see ... on this label).

P362+P364 Take off contaminated clothing and wash it before reuse.

P318 IF exposed or concerned, get medical advice.

P391 Collect spillage.

Storage

P405 Store locked up.

Disposal

P501 Dispose of contents/container to an appropriate treatment and disposal facility in accordance with applicable laws and regulations, and product characteristics at time of disposal.

Other hazards which do not result in classification

no data available

SECTION 3: Composition/information on ingredients

Substance

Chemical name: Benzo[def]chrysene

Common names and synonyms: Benzo[def]chrysene

CAS number: 50-32-8

EC number: 200-028-5

Concentration: 100%

SECTION 4: First aid measures

Description of necessary first-aid measures

If inhaled

Fresh air, rest.

Following skin contact

Remove contaminated clothes. Rinse and then wash skin with water and soap.

Following eye contact

Rinse with plenty of water (remove contact lenses if easily possible).

Following ingestion

Rinse mouth.

Most important symptoms/effects, acute and delayed

SYMPTOMS: Symptoms of exposure to this compound include mucous membrane irritation, dermatitis, bronchitis, cough, dyspnea, conjunctivitis, photosensitization, pulmonary edema, reproductive effects and leukemia. Contact with the skin may result in erythema, pigmentation, desquamation, formation of verrucae and infiltration. It may also cause keratoses which are relatively small, heaped-up, scaling, brown plaques on the skin, some of which may be fissured and may itch. Exposure to this type of compound may cause reddening and squamous eczema of the lid margins with only small erosion of the corneal epithelium and superficial changes in the stroma which disappear a month following exposure. Repeated exposure may cause sunlight to have a more severe effects on a person's skin and also an allergic skin rash. Aplastic anemia may also occur. Chronic exposure to the fumes and dust of this type of compound can cause discoloration of the cornea and epithelioma of the lid margin. **ACUTE/CHRONIC HAZARDS:** This compound may be harmful by ingestion or inhalation. It may cause irritation. When heated to decomposition it emits acrid smoke and toxic fumes of carbon monoxide and carbon dioxide. (NTP, 1992)

Indication of immediate medical attention and special treatment needed, if necessary

Immediate first aid: Ensure that adequate decontamination has been carried out. If patient is not breathing, start artificial respiration, preferably with a demand-valve resuscitator, bag-valve-mask device, or pocket mask, as trained. Perform CPR as necessary. Immediately flush contaminated eyes with gently flowing water. Do not induce vomiting. If vomiting occurs, lean patient forward or place on left side (head-down position, if possible) to maintain an open airway and prevent aspiration. Keep patient quiet and maintain normal body temperature. Obtain medical attention. Aromatic hydrocarbons and related compounds

SECTION 5: Firefighting measures

Suitable extinguishing media

Flammable, but generally found in such low quantities it is not considered a fire hazard ... Poisonous gases are produced in fire including carbon monoxide. If material or contaminated runoff enters waterways, notify downstream users of potentially contaminated waters. Notify local health and fire officials and pollution control agencies. From a secure, explosion-proof location, use water spray to cool exposed containers. If cooling streams are ineffective (venting sound increases in volume and pitch, tank discolors or shows any signs of deforming), withdraw immediately to a secure position.

Specific hazards arising from the chemical

Literature sources indicate that this chemical is nonflammable. (NTP, 1992)

Special protective actions for fire-fighters

In case of fire in the surroundings, use appropriate extinguishing media.

SECTION 6: Accidental release measures

Personal precautions, protective equipment and emergency procedures

Personal protection: particulate filter respirator adapted to the airborne concentration of the substance. Do NOT let this chemical enter the environment. Do NOT wash away into sewer. Sweep spilled substance into covered sealable containers. If appropriate, moisten first to prevent dusting. Carefully collect remainder. Then store and dispose of according to local regulations.

Environmental precautions

Personal protection: particulate filter respirator adapted to the airborne concentration of the substance. Do NOT let this chemical enter the environment. Do NOT wash away into sewer. Sweep spilled substance into covered sealable containers. If appropriate, moisten first to prevent dusting. Carefully collect remainder. Then store and dispose of according to local regulations.

Methods and materials for containment and cleaning up

SRP: Wastewater from contaminant suppression, cleaning of protective clothing/equipment, or contaminated sites should be contained and evaluated for subject chemical or decomposition product concentrations. Concentrations shall be lower than applicable environmental discharge or disposal criteria. Alternatively, pretreatment and/or discharge to a permitted wastewater treatment facility is acceptable only after review by the governing authority and assurance that "pass through" violations will not occur. Due consideration shall be given to remediation worker exposure (inhalation, dermal and ingestion) as well as fate during treatment, transfer and disposal. If it is not practicable to manage the chemical in this fashion, it must be evaluated in accordance with EPA 40 CFR Part 261, specifically Subpart B, in order to determine the appropriate local, state and federal requirements for disposal.

SECTION 7: Handling and storage

Precautions for safe handling

Handling in a well ventilated place. Wear suitable protective clothing. Avoid contact with skin and eyes. Avoid formation of dust and aerosols. Use non-sparking tools. Prevent fire caused by electrostatic discharge steam.

Conditions for safe storage, including any incompatibilities

Provision to contain effluent from fire extinguishing. Separated from strong oxidants. Store in an area without drain or sewer access. Cool. Dry. Store in tightly closed containers in a cool, well-ventilated area away from oxidizing chemicals (such as chlorates, perchlorates, permanganates, and nitrates). A regulated, marked area should be established where this chemical is handled, used, or stored in compliance with OSHA standard 1910.1045.

SECTION 8: Exposure controls/personal protection

Control parameters

Occupational Exposure limit values

TLV: A2 (suspected human carcinogen); BEI issued. MAK: skin absorption (H); carcinogen category: 2; germ cell mutagen group: 2

Biological limit values

no data available

Appropriate engineering controls

Ensure adequate ventilation. Handle in accordance with good industrial hygiene and safety practice. Set up emergency exits and the risk-elimination area.

Individual protection measures, such as personal protective equipment (PPE)

Eye/face protection

Wear safety spectacles or eye protection in combination with breathing protection.

Skin protection

Protective gloves. Protective clothing.

Respiratory protection

Use closed system and ventilation.

Thermal hazards

no data available

SECTION 9: Physical and chemical properties and safety characteristics

Physical state:	Benzo[a]pyrene is a liquid. Presents a threat to the environment. Immediate steps should be taken to limit its spread to the environment. Easily penetrates the soil and contaminates groundwater or nearby waterways.
Colour:	PALE YELLOW MONOCLINIC NEEDLES FROM BENZENE & METHANOL
Odour:	Faint aromatic odor

Melting point/freezing point:	207°C(lit.)
Boiling point or initial boiling point and boiling range:	496°C(lit.)
Flammability:	Not combustible. Gives off irritating or toxic fumes (or gases) in a fire.
Lower and upper explosion limit/flammability limit:	no data available
Flash point:	73°C(lit.)
Auto-ignition temperature:	no data available
Decomposition temperature:	no data available
pH:	no data available
Kinematic viscosity:	no data available
Solubility:	less than 1 mg/mL at 63° F (NTP, 1992)
Partition coefficient n-octanol/water:	log Kow = 6.13
Vapour pressure:	5.49e-09 mm Hg at 77° F (NTP, 1992)
Density and/or relative density:	1.286 g/cm ³
Relative vapour density:	8.7 (NTP, 1992) (Relative to Air)
Particle characteristics:	no data available

SECTION 10: Stability and reactivity

Reactivity

80 mg/cu m; NIOSH considers coal tar pitch volatiles to be potential occupational carcinogens. Coal tar pitch volatiles Reacts with strong oxidants. Decomposes on heating. This produces toxic fumes.

Chemical stability

Undergoes photo-oxidation after irradiation in indoor sunlight or by fluorescent light in organic solvents.

Possibility of hazardous reactions

Combustible. BENZO[A]PYRENE undergoes photo-oxidation after irradiation in indoor sunlight or by fluorescent light in organic solvents. Incompatible with strong oxidizing agents including various electrophiles, peroxides, nitrogen oxides and sulfur oxides. Oxidized by ozone, chromic acid and chlorinating agents. Readily undergoes nitration and halogenation. Hydrogenation occurs with platinum oxide (NTP, 1992).

Conditions to avoid

no data available

Incompatible materials

Incompatibilities: strong oxidizers, nitrogen dioxide, and ozone.

Hazardous decomposition products

When heated to decomposition it emits acrid smoke and fumes.

SECTION 11: Toxicological information**Acute toxicity**

Oral: no data available

Inhalation: no data available

Dermal: no data available

Skin corrosion/irritation

no data available

Serious eye damage/irritation

no data available

Respiratory or skin sensitization

no data available

Germ cell mutagenicity

no data available

Carcinogenicity

CLASSIFICATION: B2; probable human carcinogen. BASIS FOR CLASSIFICATION: Human data specifically linking benzo(a)pyrene (BAP) to a carcinogenic effect are lacking. There are, however, multiple animal studies in many species demonstrating BAP to be carcinogenic following administration by numerous routes. BAP has produced positive results in numerous genotoxicity assays. NOTE: At the June, 1992 CRAVE Work Group meeting, a revised risk estimate for benzo(a)pyrene was verified. ... The Carcinogenicity Background Document provides details on the rationale and methods used to derive the carcinogenicity values found in IRIS. ... HUMAN CARCINOGENICITY DATA: Inadequate. ANIMAL CARCINOGENICITY DATA: Sufficient. Based on former classification system

Reproductive toxicity

no data available

STOT-single exposure

See Notes.

STOT-repeated exposure

Repeated or prolonged contact may cause skin sensitization. This substance is carcinogenic to humans. May cause heritable genetic damage to human germ cells. May cause toxicity to human reproduction or development.

Aspiration hazard

A harmful concentration of airborne particles can be reached quickly when dispersed.

SECTION 12: Ecological information

Toxicity

Toxicity to fish: LT50 (time to 50% mortality); Species: *Pimephales promelas* (Fathead minnow, larvae 7 days posthatch); Conditions: freshwater, renewal; Concentration: 5.6 ug/L for 40.05 hr

Toxicity to daphnia and other aquatic invertebrates: EC50; Species: *Daphnia magna* (Water flea, about 4 days old juvenile); Conditions: freshwater, static, 20 deg C, pH 8.0, alkalinity 250 mg/L CaCO₃; Concentration: 40 ug/L for 24 hr (95% confidence interval: 32-49 ug/L); Effect: intoxication, immobilization

Toxicity to algae: EC50; Species: *Pseudokirchneriella subcapitata* (Green algae, 500000 cells/mL); Conditions: freshwater, static, 23 deg C; Concentration: 15 ug/L for 72 hr; Effect: growth, general /97% purity

Toxicity to microorganisms: no data available

Persistence and degradability

AEROBIC: (14)C-benzo(a)pyrene was not significantly mineralized in sludge treated Caledon soil; half-lives ranged from 23 to 266 weeks(1). The persistence of benzo(a)pyrene in soil is expected to vary depending upon the nature of compounds accompanying it and the nature and previous history of the soil(1). After 5 days incubation in activated sludge, <0.1% of the applied (14)C-benzo(a)pyrene concn was degraded to (14)-CO₂(2). Incubation of (14)C-benzo(a)pyrene in creosote-pentachlorophenol contaminated soil over 285 days led to a small, <1%, mineralization of benzo(a)pyrene(3). Calculated half-lives for the mineralization of (14)C-benzo(a)pyrene in sediment/water microcosms ranged from >200 weeks in Redfish Bay, TX to >300 weeks in Lake Chicot, AR; no mineralization was detected in microcosms containing sediment and water from DeGray Reservoir, AR(4). The extent of mineralization of (14)C-benzo(a)pyrene, at a concentration of 105 ng/g, in soils collected from an abandoned coal tar refinery was very low, <8%, after 160 days(5). The level of indigenous mineralization of (14)C-benzo(a)pyrene in soils obtained from three abandoned coal gasification plants as measured by serum bottle respirometry ranged from not detectable to 25% following incubations >180 days; (14)C-benzo(a)pyrene mineralization occurred after a 28-day lag period(6). In soils from Alert (contaminated with Arctic diesel fuel), Saglek (from a radar installation), Varta (from a former gasworks site), and Westbrook (not known to be polluted), the percent removal of benzo(a)pyrene (10 ug/mL concn) from enrichment cultures after 90 days incubation under aerobic conditions were, respectively: at 20 deg C, 68, 76, 60, and 27; at 7 deg C, 33, 31, 34 and 37(7).

Bioaccumulative potential

Gillichthys mirabilis (mudsucker) exposed to benzo(a)pyrene /concn not specified/ for 96 hr exhibited a bioconcentration factor of 0.048; *Oligocottus maculosus* (tidepool sculpin) exposed to benzo(a)pyrene /concn not specified/ for 1 hr exhibited a bioconcentration factor of 0.13; *Citharichthys stigmatus* (sand dab) exposed to benzo(a)pyrene /concn not specified/ for 1 hr exhibited a bioconcentration factor of 0.02. Edible tissue

Mobility in soil

Sorption coefficients for benzo(a)pyrene obtained during 48 hour batch experiments using two lake sediments with organic carbon content of 1.87 and 2.07%, and a high chemical concentration were 7,000 and 22,000, respectively(1). Sorption coefficients obtained from 48 hour batch experiments using a low benzo(a)pyrene concentration were 8,700 and 35,000 using lake sediments with 1.87% and 2.07% organic carbon, respectively(1). These values correspond to estimated Koc values of 2.7×10^5 , 1.1×10^6 , 4.7×10^5 , and 1.7×10^6 (SRC) using a regression-derived equation(2).. Sorption removal accounted for >3.0% and >3.2% of the benzo(a)pyrene present in the influent of a high-loaded laboratory scale activated sludge reactor and a biological aerated filter reactor, respectively; the calculated adsorption removal may be conservatively low because the sludge samples were dried before analysis(3). Kd, soil/water partition coefficients, of 18.2 and 69.0 were determined in Kidman sandy loam, 0.51% organic carbon, and Nunn clay loam, 1.1% organic carbon(4). These values correspond to Koc values of 930 and 6300, respectively(SRC), using a regression-derived equation(2).. Measured log Koc values ranged from 6.00 to 6.28 in sediments and porewater isolated from three cores from Boston Harbor, MA(5). Sorption partition coefficients for benzo(a)pyrene with natural dissolved organic carbon from Lake Ketelmeer ranged from 2.8×10^6 at 45 deg C to 1.6×10^7 at 16 deg C(6). A sorption partition coefficient of 2.5×10^6 was observed for benzo(a)pyrene with particulate organic matter from Lake Ketelmeer at 20 deg C(6). Average partition coefficients for benzo(a)pyrene in natural interstitial waters ranged from 2.2×10^3 and 9.0×10^6 for Government Pond, Grand Haven, MI and Lake Michigan, respectively(7). Sorption of (14)C-benzo(a)pyrene on sediment collected in the harbor of Rotterdam was measured using batch experiments; cosolvent partition coefficients(log) ranged from 5.2 to 6.3(8). Partition coefficients (log) for (14)C-benzo(a)pyrene using fulvic and humic acids derived from salt-marsh estuaries ranged from 3.48 to 3.86 and 4.12 to 4.29, respectively(9). Benzo(a)pyrene log Kp values ranged from 5.18 to 5.79 in porewater and 4.90 to 5.36 in elutriates(10). 22% benzo(a)pyrene removal over 36 days in an activated sludge pilot reactor was attributed to adsorption to sludge(11). According to a recommended classification scheme(12), these Koc values suggest that benzo(a)pyrene is expected to have low to no mobility in soil(SRC).

Other adverse effects

no data available

SECTION 13: Disposal considerations

Disposal methods

Product

The material can be disposed of by removal to a licensed chemical destruction plant or by controlled incineration with flue gas scrubbing. Do not contaminate water, foodstuffs, feed or seed by storage or disposal. Do not discharge to sewer systems.

Contaminated packaging

Containers can be triply rinsed (or equivalent) and offered for recycling or reconditioning. Alternatively, the packaging can be punctured to make it unusable for other purposes and then be disposed of in a sanitary landfill. Controlled incineration with flue gas scrubbing is possible for combustible packaging materials.

SECTION 14: Transport information

UN Number

ADR/RID: UN3077 (For reference only, please check.)

IMDG: UN3077 (For reference only, please check.)

IATA: UN3077 (For reference only, please check.)

UN Proper Shipping Name

ADR/RID: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (For reference only, please check.)

IMDG: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (For reference only, please check.)

IATA: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (For reference only, please check.)

Transport hazard class(es)

ADR/RID: 9 (For reference only, please check.)

IMDG: 9 (For reference only, please check.)

IATA: 9 (For reference only, please check.)

Packing group, if applicable

ADR/RID: III (For reference only, please check.)

IMDG: III (For reference only, please check.)

IATA: III (For reference only, please check.)

Environmental hazards

ADR/RID: Yes

IMDG: Yes

IATA: Yes

Special precautions for user

no data available

Transport in bulk according to IMO instruments

no data available

SECTION 15: Regulatory information

Safety, health and environmental regulations specific for the product in question

European Inventory of Existing Commercial Chemical Substances (EINECS)

Listed.

EC Inventory

Listed.

United States Toxic Substances Control Act (TSCA) Inventory

Listed.

China Catalog of Hazardous chemicals 2015

Not Listed.

New Zealand Inventory of Chemicals (NZIoC)

Listed.

(PICCS)

Listed.

Vietnam National Chemical Inventory

Listed.

IECSC)

Listed.

Korea Existing Chemicals List (KECL)

Listed.

SECTION 16: Other information

Abbreviations and acronyms

CAS: Chemical Abstracts Service

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road

RID: Regulation concerning the International Carriage of Dangerous Goods by Rail

IMDG: International Maritime Dangerous Goods

IATA: International Air Transportation Association

TWA: Time Weighted Average

STEL: Short term exposure limit

LC50: Lethal Concentration 50%

LD50: Lethal Dose 50%

EC50: Effective Concentration 50%

References

IPCS - The International Chemical Safety Cards (ICSC), website: <http://www.ilo.org/dyn/icsc/showcard.home>

HSDB - Hazardous Substances Data Bank, website: <https://toxnet.nlm.nih.gov/newtoxnet/hsdb.htm>

IARC - International Agency for Research on Cancer, website: <http://www.iarc.fr/>

eChemPortal - The Global Portal to Information on Chemical Substances by OECD, website:
http://www.echemportal.org/echemportal/index?pageID=0&request_locale=en

CAMEO Chemicals, website: <http://cameochemicals.noaa.gov/search/simple>

ChemIDplus, website: <http://chem.sis.nlm.nih.gov/chemidplus/chemidlite.jsp>

ERG - Emergency Response Guidebook by U.S. Department of Transportation, website:
<http://www.phmsa.dot.gov/hazmat/library/erg>

Germany GESTIS-database on hazard substance, website: <http://www.dguv.de/ifa/gestis/gestis-stoffdatenbank/index-2.jsp>

ECHA - European Chemicals Agency, website: <https://echa.europa.eu/>

Other Information

Do NOT take working clothes home. Insufficient data are available on the effect of this substance on human health, therefore utmost care must be taken. Benzo(a)pyrene is present as a component of polycyclic aromatic hydrocarbons (PAHs) in the environment, usually resulting from the incomplete combustion or pyrolysis of organic matters, especially fossil fuels and tobacco.

based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. We as supplier shall not be held liable for any