

Chemical Safety Data Sheet MSDS / SDS

Butyl 2,3-epoxypropyl ether SDS

Revision Date:2024-04-25 Revision Number:1

Section 1	Section 2	Section 3	Section 4	Section 5	Section 6	Section 7	Section 8
Section 9	Section 10	Section 11	Section 12	Section 13	Section 14	Section 15	Section 16

SECTION 1: Identification of the substance/mixture and of the company/undertaking**Product identifier**

Product name: Butyl 2,3-epoxypropyl ether

CAS: 2426-08-6

Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses: For R&D use only. Not for medicinal, household or other use.

Uses advised against: none

Company Identification

Company: Chemicalbook.in

Address: 5 vasavi Layout Basaveswara Nilayam Pragathi Nagar Hyderabad, India -500090

Telephone: +91 9550333722

SECTION 2: Hazards identification**Classification of the substance or mixture**

Flammable liquids, Category 3

Acute toxicity - Category 4, Oral

Skin sensitization, Category 1
Acute toxicity - Category 4, Inhalation
Specific target organ toxicity - single exposure, Category 3
Germ cell mutagenicity, Category 2
Carcinogenicity, Category 2
Hazardous to the aquatic environment, long-term (Chronic) - Category Chronic 3

GHS label elements, including precautionary statements

Pictogram(s)



Signal word

Warning

Hazard statement(s)

H226 Flammable liquid and vapour
H302 Harmful if swallowed
H317 May cause an allergic skin reaction
H332 Harmful if inhaled
H335 May cause respiratory irritation
H341 Suspected of causing genetic defects
H351 Suspected of causing cancer
H412 Harmful to aquatic life with long lasting effects

Precautionary statement(s)

Prevention

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P233 Keep container tightly closed.
P240 Ground and bond container and receiving equipment.
P241 Use explosion-proof [electrical/ventilating/lighting/...] equipment.
P242 Use non-sparking tools.
P243 Take action to prevent static discharges.
P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing protection/...
P264 Wash ... thoroughly after handling.
P270 Do not eat, drink or smoke when using this product.
P261 Avoid breathing dust/fume/gas/mist/vapours/spray.
P272 Contaminated work clothing should not be allowed out of the workplace.
P271 Use only outdoors or in a well-ventilated area.

P203 Obtain, read and follow all safety instructions before use.
P273 Avoid release to the environment.

Response

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse affected areas with water [or shower].
P370+P378 In case of fire: Use ... to extinguish.
P301+P317 IF SWALLOWED: Get medical help.
P330 Rinse mouth.
P302+P352 IF ON SKIN: Wash with plenty of water/...
P333+P317 If skin irritation or rash occurs: Get medical help.
P321 Specific treatment (see ... on this label).
P362+P364 Take off contaminated clothing and wash it before reuse.
P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P317 Get medical help.
P319 Get medical help if you feel unwell.
P318 IF exposed or concerned, get medical advice.

Storage

P403+P235 Store in a well-ventilated place. Keep cool.
P403+P233 Store in a well-ventilated place. Keep container tightly closed.
P405 Store locked up.

Disposal

P501 Dispose of contents/container to an appropriate treatment and disposal facility in accordance with applicable laws and regulations, and product characteristics at time of disposal.

Other hazards which do not result in classification

no data available

SECTION 3: Composition/information on ingredients

Substance

Chemical name:	Butyl 2,3-epoxypropyl ether
Common names and synonyms:	Butyl 2,3-epoxypropyl ether
CAS number:	2426-08-6

EC number: 219-376-4

Concentration: 100%

SECTION 4: First aid measures

Description of necessary first-aid measures

If inhaled

Fresh air, rest.

Following skin contact

Remove contaminated clothes. Rinse and then wash skin with water and soap.

Following eye contact

First rinse with plenty of water for several minutes (remove contact lenses if easily possible), then refer for medical attention.

Following ingestion

Rinse mouth.

Most important symptoms/effects, acute and delayed

Exposure can cause mild irritation of skin, eyes, nose, and respiratory tract. Chronic exposure may cause inflammation and sensitization of the skin. (USCG, 1999)

Indication of immediate medical attention and special treatment needed, if necessary

Absorption, Distribution and Excretion

When 14C-BGE was administered orally to male rats and rabbits (20 mg/kg), it was rapidly absorbed and metabolized. Most of the compound, 87% in the rat and 78% in the rabbit, was eliminated in the 0- to 24-hr urine.

SECTION 5: Firefighting measures

Suitable extinguishing media

In case of fire: keep drums, etc., cool by spraying with water.

Specific hazards arising from the chemical

Special Hazards of Combustion Products: May form explosive peroxides upon contact with air. Toxic fumes such as carbon monoxide may be produced. Behavior in Fire: May polymerize, generating heat and causing the container to burst. (USCG, 1999)

Special protective actions for fire-fighters

Use water spray, foam, powder, carbon dioxide. In case of fire: keep drums, etc., cool by spraying with water.

SECTION 6: Accidental release measures

Personal precautions, protective equipment and emergency procedures

Personal protection: particulate filter respirator adapted to the airborne concentration of the substance. Collect leaking and spilled liquid in covered containers as far as possible. Absorb remaining liquid in sand or inert absorbent. Then store and dispose of according to local regulations.

Environmental precautions

Personal protection: particulate filter respirator adapted to the airborne concentration of the substance. Collect leaking and spilled liquid in covered containers as far as possible. Absorb remaining liquid in sand or inert absorbent. Then store and dispose of according to local regulations.

Methods and materials for containment and cleaning up

Collect leaking and spilled liquid in sealable containers as far as possible. Wash away remainder with plenty of water.

SECTION 7: Handling and storage

Precautions for safe handling

NO open flames, NO sparks and NO smoking. Above 54°C use a closed system, ventilation and explosion-proof electrical equipment. Handling in a well ventilated place. Wear suitable protective clothing. Avoid contact with skin and eyes. Avoid formation of dust and aerosols. Use non-sparking tools. Prevent fire caused by electrostatic discharge steam.

Conditions for safe storage, including any incompatibilities

Fireproof. Separated from strong oxidants, strong bases, strong acids and amines. Cool. Keep in the dark. Fireproof. Separated from strong oxidants, strong bases, strong acids. Cool. Keep in the dark.

SECTION 8: Exposure controls/personal protection

Control parameters

Occupational Exposure limit values

TLV: 3 ppm as TWA; (skin); (SEN).MAK: skin absorption (H); sensitization of skin (SH); carcinogen category: 3B; germ cell mutagen group: 2

Biological limit values

no data available

Appropriate engineering controls

Ensure adequate ventilation. Handle in accordance with good industrial hygiene and safety practice. Set up emergency exits and the risk-elimination area.

Individual protection measures, such as personal protective equipment (PPE)

Eye/face protection

Wear safety goggles or eye protection in combination with breathing protection.

Skin protection

Protective gloves. Protective clothing.

Respiratory protection

Use ventilation, local exhaust or breathing protection.

Thermal hazards

no data available

SECTION 9: Physical and chemical properties and safety characteristics

Physical state:	N-butyl glycidyl ether is a colorless to pale yellow liquid with a strong, slightly unpleasant odor. Flash point approximately 164°F. Denser than water. Vapors are heavier than air. Vapors may irritate the nose, throat and respiratory tract. Ingestion or inhalation may cause central nervous system depression. Liquid contact may severely irritate the eyes and skin. Prolonged contact with the skin may cause defatting and drying.
Colour:	Clear, colorless liquid
Odour:	Irritating odor
Melting point/freezing point:	105°C(lit.)
Boiling point or initial boiling point and boiling range:	145°C
Flammability:	Class II Combustible Liquid: FL.P. at or above 100°F and below 140°F.
Lower and upper explosion limit/flammability limit:	no data available
Flash point:	59°C(lit.)
Auto-ignition temperature:	no data available
Decomposition temperature:	no data available
pH:	no data available
Kinematic viscosity:	no data available
Solubility:	10 to 50 mg/mL at 72° F (NTP, 1992)
Partition coefficient n-octanol/water:	log Kow = 0.63
Vapour pressure:	1.43mmHg at 25°C
Density and/or relative density:	0.912

Relative vapour density:	3.78 at 25 deg C (Air = 1)
Particle characteristics:	no data available

SECTION 10: Stability and reactivity

Reactivity

The substance can presumably form explosive peroxides. Reacts with acids, amines, bases and strong oxidants.

Chemical stability

no data available

Possibility of hazardous reactions

FlammableN-BUTYL GLYCIDYL ETHER, an ether, can act as a base. They form salts with strong acids and addition complexes with Lewis acids. The complex between diethyl ether and boron trifluoride is an example. Ethers may react violently with strong oxidizing agents. In other reactions, which typically involve the breaking of the carbon-oxygen bond, ethers are relatively inert.

Conditions to avoid

no data available

Incompatible materials

Strong oxidizers, strong caustics.

Hazardous decomposition products

When heated to decomposition it emits acrid smoke and irritating fumes.

SECTION 11: Toxicological information

Acute toxicity

Oral: LD50 Rat oral 2.05 g/kg

Inhalation: LC50 Mouse inhalation > 3500 ppm/4 hr

Dermal: LD50 Rabbit percutaneous 4.93 g/kg

Skin corrosion/irritation

no data available

Serious eye damage/irritation

no data available

Respiratory or skin sensitization

no data available

Germ cell mutagenicity

no data available

Carcinogenicity

no data available

Reproductive toxicity

no data available

STOT-single exposure

The substance is irritating to the eyes, skin and respiratory tract.

STOT-repeated exposure

Repeated or prolonged contact may cause skin sensitization. May cause heritable genetic damage to human germ cells.

Aspiration hazard

A harmful contamination of the air can be reached rather quickly on evaporation of this substance at 20°C.

SECTION 12: Ecological information

Toxicity

Toxicity to fish: no data available

Toxicity to daphnia and other aquatic invertebrates: no data available

Toxicity to algae: no data available

Toxicity to microorganisms: no data available

Persistence and degradability

no data available

Bioaccumulative potential

An estimated BCF of 3 was calculated for n-butyl glycidyl ether(SRC), using a log Kow of 0.63(1) and a regression-derived equation(2). According to a classification scheme(3), this BCF suggests the potential for bioconcentration in aquatic organisms is low(SRC).

Mobility in soil

The Koc of n-butyl glycidyl ether is estimated as 52(SRC), using a log Kow of 0.63(1) and a regression-derived equation(2). According to a classification scheme(2), this estimated Koc value suggests that n-butyl glycidyl ether is expected to have high mobility in soil(SRC).

Other adverse effects

no data available

SECTION 13: Disposal considerations

Disposal methods

Product

The material can be disposed of by removal to a licensed chemical destruction plant or by controlled incineration with flue gas scrubbing. Do not contaminate water, foodstuffs, feed or seed by storage or disposal. Do not discharge to sewer systems.

Contaminated packaging

Containers can be triply rinsed (or equivalent) and offered for recycling or reconditioning. Alternatively, the packaging can be punctured to make it unusable for other purposes and then be disposed of in a sanitary landfill. Controlled incineration with flue gas scrubbing is possible for combustible packaging materials.

SECTION 14: Transport information

UN Number

ADR/RID: UN3271 (For reference only, please check.)

IMDG: UN3271 (For reference only, please check.)

IATA: UN3271 (For reference only, please check.)

UN Proper Shipping Name

ADR/RID: ETHERS, N.O.S. (For reference only, please check.)

IMDG: ETHERS, N.O.S. (For reference only, please check.)

IATA: ETHERS, N.O.S. (For reference only, please check.)

Transport hazard class(es)

ADR/RID: 3 (For reference only, please check.)

IMDG: 3 (For reference only, please check.)

IATA: 3 (For reference only, please check.)

Packing group, if applicable

ADR/RID: II (For reference only, please check.)

IMDG: II (For reference only, please check.)

IATA: II (For reference only, please check.)

Environmental hazards

ADR/RID: No

IMDG: No

IATA: No

Special precautions for user

no data available

Transport in bulk according to IMO instruments

no data available

SECTION 15: Regulatory information

Safety, health and environmental regulations specific for the product in question

European Inventory of Existing Commercial Chemical Substances (EINECS)

Listed.

EC Inventory

Listed.

United States Toxic Substances Control Act (TSCA) Inventory

Listed.

China Catalog of Hazardous chemicals 2015

Not Listed.

New Zealand Inventory of Chemicals (NZIoC)

Listed.

(PICCS)

Listed.

Vietnam National Chemical Inventory

Listed.

IECSC)

Listed.

Korea Existing Chemicals List (KECL)

Listed.

SECTION 16: Other information

Abbreviations and acronyms

CAS: Chemical Abstracts Service

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road

RID: Regulation concerning the International Carriage of Dangerous Goods by Rail

IMDG: International Maritime Dangerous Goods

IATA: International Air Transportation Association

TWA: Time Weighted Average

STEL: Short term exposure limit

LC50: Lethal Concentration 50%

LD50: Lethal Dose 50%

EC50: Effective Concentration 50%

References

IPCS - The International Chemical Safety Cards (ICSC), website: <http://www.ilo.org/dyn/icsc/showcard.home>

HSDB - Hazardous Substances Data Bank, website: <https://toxnet.nlm.nih.gov/newtoxnet/hsdb.htm>

IARC - International Agency for Research on Cancer, website: <http://www.iarc.fr/>

eChemPortal - The Global Portal to Information on Chemical Substances by OECD, website:
http://www.echemportal.org/echemportal/index?pageID=0&request_locale=en

CAMEO Chemicals, website: <http://cameochemicals.noaa.gov/search/simple>

ChemIDplus, website: <http://chem.sis.nlm.nih.gov/chemidplus/chemidlite.jsp>

ERG - Emergency Response Guidebook by U.S. Department of Transportation, website:
<http://www.phmsa.dot.gov/hazmat/library/erg>

Germany GESTIS-database on hazard substance, website: <http://www.dguv.de/ifa/gestis/gestis-stoffdatenbank/index-2.jsp>

ECHA - European Chemicals Agency, website: <https://echa.europa.eu/>

Other Information

Explosive limits are unknown in literature, although the substance is combustible and has a flash point < 61°C. Check for peroxides prior to distillation; eliminate if found.

Disclaimer: The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. We as supplier shall not be held liable for any