### Chemical Book India

# Chemical Safety Data Sheet MSDS / SDS

### 2,2'-iminodiethanol SDS

Revision Date: 2024-04-25 Revision Number: 1

Section 2 Section 3 Section 1 Section 4 Section 5 Section 6 Section 7 Section 8 Section 9 Section 10 Section 11 Section 12 Section 13 Section 14 Section 15 Section 16

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### Product identifier

Product name: 2,2'-iminodiethanol

CAS: 111-42-2

## Relevant identified uses of the substance or mixture and uses advised against

Relevant identified For R&D use only. Not for medicinal, household or other use.

uses:

Uses advised none

against:

## Company Identification

Company: Chemicalbook.in

Address: 5 vasavi Layout Basaveswara Nilayam Pragathi Nagar Hyderabad, India -500090

Telephone: +91 9550333722

### **SECTION 2: Hazards identification**

### Classification of the substance or mixture

Acute toxicity - Category 4, Oral Skin irritation, Category 2

Serious eye damage, Category 1 Specific target organ toxicity - repeated exposure, Category 2

## GHS label elements, including precautionary statements

Pictogram(s)





Signal word

Danger

# Hazard statement(s)

H302 Harmful if swallowed

H315 Causes skin irritation

H318 Causes serious eve damage

H373 May cause damage to organs through prolonged or repeated exposure

## Precautionary statement(s)

### Prevention

P264 Wash ... thoroughly after handling.

P270 Do not eat, drink or smoke when using this product.

P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing protection/...

P260 Do not breathe dust/fume/gas/mist/vapours/spray.

### Response

P301+P317 IF SWALLOWED: Get medical help.

P330 Rinse mouth.

P302+P352 IF ON SKIN: Wash with plenty of water/...

P321 Specific treatment (see ... on this label).

P332+P317 If skin irritation occurs: Get medical help.

P362+P364 Take off contaminated clothing and wash it before reuse.

P305+P354+P338 IF IN EYES: Immediately rinse with water for several minutes. Remove contact lenses, if present and easy to do.

Continue rinsing.

P317 Get medical help.

P319 Get medical help if you feel unwell.

## Storage

none

## Disposal

P501 Dispose of contents/container to an appropriate treatment and disposal facility in accordance with applicable laws and regulations, and product characteristics at time of disposal.

### Other hazards which do not result in classification

no data available

# **SECTION 3: Composition/information on ingredients**

### Substance

Chemical name: 2,2'-iminodiethanol 2,2'-iminodiethanol

synonyms:

CAS number: 111-42-2 EC number: 203-868-0 Concentration: 100%

# **SECTION 4: First aid measures**

### Description of necessary first-aid measures

### If inhaled

Fresh air, rest.

## Following skin contact

Remove contaminated clothes. Rinse skin with plenty of water or shower.

### Following eye contact

First rinse with plenty of water for several minutes (remove contact lenses if easily possible), then refer for medical attention.

## Following ingestion

Rinse mouth. Give one or two glasses of water to drink. Refer for medical attention . Rest.

### Most important symptoms/effects, acute and delayed

Irritation of eyes and skin. Breathing vapors may cause coughing, a smothering sensation, nausea, headache. (USCG, 1999)

### Indication of immediate medical attention and special treatment needed, if necessary

Immediate first aid: Ensure that adequate decontamination has been carried out. If patient is not breathing, start artificial respiration, preferably with a demand valve resuscitator, bag-valve-mask device, or pocket mask, as trained. Perform CPR if necessary. Immediately flush contaminated eyes with gently flowing water. Do not induce vomiting. If vomiting occurs, lean patient forward or place on the left side (head-down position, if possible) to maintain an open airway and prevent aspiration. Keep patient quiet and maintain normal body temperature. Obtain medical attention. /Organic bases/Amines and related compounds/

## **SECTION 5: Firefighting measures**

### Suitable extinguishing media

Wear self contained breathing apparatus for fire fighting if necessary.

### Specific hazards arising from the chemical

Special Hazards of Combustion Products: Irritating vapors are generated when heated. (USCG, 1999)

## Special protective actions for fire-fighters

Use water spray, powder, foam, carbon dioxide.

### **SECTION 6: Accidental release measures**

### Personal precautions, protective equipment and emergency procedures

Personal protection: filter respirator for organic gases and particulates adapted to the airborne concentration of the substance. Sweep spilled substance into covered sealable containers. If appropriate, moisten first to prevent dusting. Then store and dispose of according to local regulations.

# Environmental precautions

Personal protection: filter respirator for organic gases and particulates adapted to the airborne concentration of the substance. Sweep spilled substance into covered sealable containers. If appropriate, moisten first to prevent dusting. Then store and dispose

of according to local regulations.

### Methods and materials for containment and cleaning up

Personal precautions, protective equipment and emergency procedures: Use personal protective equipment. Avoid breathing vapours, mist or gas. Ensure adequate ventilation. Evacuate personnel to safe areas.

## **SECTION 7: Handling and storage**

## Precautions for safe handling

NO open flames. Handling in a well ventilated place. Wear suitable protective clothing. Avoid contact with skin and eyes. Avoid formation of dust and aerosols. Use non-sparking tools. Prevent fire caused by electrostatic discharge steam.

### Conditions for safe storage, including any incompatibilities

Separated from strong oxidants and acids. Dry. Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Air sensitive.

# SECTION 8: Exposure controls/personal protection

## Control parameters

### Occupational Exposure limit values

TLV: 1 mg/m3, as TWA; (skin); A3 (confirmed animal carcinogen with unknown relevance to humans). MAK: (inhalable fraction): 1 mg/m3; peak limitation category: I(1); skin absorption (H); sensitization of skin (SH); carcinogen category: 3B; pregnancy risk group: C

## Biological limit values

no data available

### Appropriate engineering controls

Ensure adequate ventilation. Handle in accordance with good industrial hygiene and safety practice. Set up emergency exits and the risk-elimination area.

### Individual protection measures, such as personal protective equipment (PPE)

## Eye/face protection

Wear safety goggles or eye protection in combination with breathing protection.

## Skin protection

Protective gloves. Protective clothing.

### Respiratory protection

Use local exhaust or breathing protection.

### Thermal hazards

no data available

# SECTION 9: Physical and chemical properties and safety characteristics

Physical state: Solid. Crystals (prisms) or syrupy liquid (above 82 degrees F).

Colorless.

Odour: Mild, ammonia-like odor

Melting 27 °C. Atm. press.:1 013 hPa.

point/freezing

point:

Boiling point or 269.9 °C. Atm. press.:1 013.25 hPa. Remarks:At and above 200 °C, decomposition can

initial boiling point clearly be observed.

and boiling range:

Flammability: Class IIIB Combustible Liquid: Fl.P. at or above 200°F. Combustible Solid

Lower and upper Lower flammable limit: 1.6% by volume (calculated); Upper flammable limit: 9.8% by

explosion volume (estimated)

limit/flammability

limit:

Flash point: 176 °C. Atm. press.:1 013 hPa.

Auto-ignition 375 °C. Atm. press.:1 013 hPa.

temperature:

**Decomposition** no data available

temperature:

pH: Strong base. pH of 0.1 N aqueous solution: 11.0

**Kinematic** dynamic viscosity (in mPa s) = 390.9. Temperature:30.0°C. Remarks:Calculated based on

viscosity: static viscosity.;dynamic viscosity (in mPa s) = 102.7. Temperature:50.0°C.

Solubility: Miscible with water

Partition log Pow = -2.46. Temperature: 25 °C.

coefficient noctanol/water:

Vapour pressure: 1 hPa. Temperature: 108 °C. Remarks: Measured.; 0 hPa. Temperature: 20 °C.

Remarks: Calculated by regression (Antoine equation).; 0 hPa. Temperature: 25 °C.

Remarks: Calculated by regression (Antoine equation).

Density and/or relative density:

1 095.3 kg/m3. Temperature:23.8 °C.

Relative vapour

3.6 (vs air)

density: Particle

no data available

characteristics:

# **SECTION 10: Stability and reactivity**

### Reactivity

Decomposes on burning. This produces toxic fumes. The solution in water is a medium strong base. Reacts violently with strong oxidants and strong acids. Attacks copper, zinc, aluminium and their alloys.

### Chemical stability

no data available

### Possibility of hazardous reactions

Combustile, when exposed to heat or flame; can react with oxidizing materials. The vapour is heavier than air. DIETHANOLAWINE is an aminoalcohol. Amines are chemical bases. They neutralize acids to form salts plus water. These acid-base reactions are exothermic. The amount of heat that is evolved per mole of amine in a neutralization is largely independent of the strength of the amine as a base. Amines may be incompatible with isocyanates, halogenated organics, peroxides, phenols (acidic), epoxides, anhydrides, and acid halides. Flammable gaseous hydrogen is generated by amines in combination with strong reducing agents, such as hydrides. This compound is hygroscopic. It may be sensitive to exposure to air and light. This compound can react with

oxidizing materials, acids, CO2, copper alloys, aluminum, zinc, galvanized iron and copper. (NTP, 1992)

### Conditions to avoid

no data available

## Incompatible materials

DEA (Diethanolamine) degrades in the presense of carbon dioxide to yield HEOD [3-(2-hydroxy-ethyl)oxazolidone], THEED [N,N,N,'-(2-hydroxyethyl)ethyleen-diamine] and BHEP [N,N'-bis(2-hydroxyethyl)piperazine.

## Hazardous decomposition products

Special hazards arising from the substance or mixture: Carbon oxides, nitrogen oxides (NOx). Nature of decomposition products not known.

## **SECTION 11: Toxicological information**

### Acute toxicity

Oral: LD50 - rat (male) - ca. 1 100 mg/kg bw.

Inhalation: LCO - rat (male/female) - 0.2 mg/L air.

Dermal: no data available

### Skin corrosion/irritation

no data available

## Serious eye damage/irritation

no data available

# Respiratory or skin sensitization

no data available

## Germ cell mutagenicity

no data available

### Carcinogenicity

Evaluation: Cancer in humans: There is inadequate evidence in humans for the carcinogenicity of diethanolamine. Cancer in experimental animals: There is sufficient evidence in experimental animals for the carcinogenicity of diethanolamine. Overall evaluation: Diethanolamine is possibly carcinogen to humans (Group 2B).

### Reproductive toxicity

No information is available on the reproductive or developmental effects of diethanolamine in humans. Animal studies have reported testicular degeneration and reduced sperm motility and count from oral exposure to diethanolamine. (10)

### STOT-single exposure

The substance is corrosive to the eyes.

### STOT-repeated exposure

Repeated or prolonged contact may cause skin sensitization. The substance may have effects on the liver and kidneys.

### Aspiration hazard

A harmful contamination of the air will not or will only very slowly be reached on evaporation of this substance at 20°C.

### **SECTION 12: Ecological information**

### **Toxicity**

Toxicity to fish: LC50 - Oncorhynchus mykiss (previous name: Salmo gairdneri) - 460 mg/L - 96 h. Remarks: Analytically verified.

Toxicity to daphnia and other aquatic invertebrates: EC50 - Ceriodaphnia dubia - 30.1 mg/L - 48 h.

Toxicity to algae: EC50 - Pseudokirchneriella subcapitata (previous names: Raphidocelis subcapitata, Selenastrum capricornutum) - 9.5 mg/L - 72 h.

Toxicity to microorganisms: EC10 - activated sludge, domestic - > 1 000 mg/L - 30 min. Remarks: Respiration rate.

## Persistence and degradability

AEROBIC: Biodegradation of diethanolamine has been reported in many die-away tests(1-3). N-Nitrosodiethanolamine has been identified as a metabolite of diethanolamine in natural water samples and sewage(2). Media Initial Concn Incubation Time (days) %

Biodegradation Reference River Water 21 mg/L 4 5 1 River Water 210 ug/L 4 55 1 River Water 21 ng/L 4 32 1 Lake Water 1.1 ppm 14 31 2 Acidic Lake Water 1.1 ppm 14 1.2 2 Sewage 1.1 ppm 14 53 2 River Water 50 ppm 10 90 3

### Bioaccumulative potential

An estimated BCF of 3 was calculated in fish for diethanolamine(SRC), using a log Kow of -1.43(1) and a regression-derived equation(2). According to a classification scheme(3), this BCF suggests the potential for bioconcentration in aquatic organisms is low(SRC).

### Mobility in soil

The Koc of diethanolamine has been reported as 3.97(1) and an experimental log Koc of 0.60(2). According to a classification scheme(3), these Koc values suggest that diethanolamine is expected to have very high mobility in soil. The pKa of diethanolamine is 8.96(4), indicating that this compound will exist partially in cation form in the environment and cations generally adsorb more strongly to soils containing organic carbon and clay than their neutral counterparts(5). Diethanolamine has been shown to adsorb to humic acid which may be contained in soils and sediments(6). The adsorption of diethanolamine on humic acid changed very slightly from pH 4-8, (40-45% adsorption)(6).

### Other adverse effects

no data available

## **SECTION 13: Disposal considerations**

### Disposal methods

### Product

The material can be disposed of by removal to a licensed chemical destruction plant or by controlled incineration with flue gas scrubbing. Do not contaminate water, foodstuffs, feed or seed by storage or disposal. Do not discharge to sewer systems.

## Contaminated packaging

Containers can be triply rinsed (or equivalent) and offered for recycling or reconditioning. Alternatively, the packaging can be punctured to make it unusable for other purposes and then be disposed of in a sanitary landfill. Controlled incineration with flue gas scrubbing is possible for combustible packaging materials.

# **SECTION 14: Transport information**

### **UN Number**

ADR/RID: Not dangerous goods. (For reference only, please check.) IMDG: Not dangerous goods. (For reference only, please check.) IATA: Not dangerous goods. (For reference only, please check.)

## **UN Proper Shipping Name**

ADR/RID: Not dangerous goods. (For reference only, please check.) IMDG: Not dangerous goods. (For reference only, please check.) IATA: Not dangerous goods. (For reference only, please check.)

### Transport hazard class(es)

ADR/RID: Not dangerous goods. (For reference only, please check.) IMDG: Not dangerous goods. (For reference only, please check.) IATA: Not dangerous goods. (For reference only, please check.)

### Packing group, if applicable

ADR/RID: Not dangerous goods. (For reference only, please check.) IMDG: Not dangerous goods. (For reference only, please check.) IATA: Not dangerous goods. (For reference only, please check.)

### Environmental hazards

ADR/RID: No IMDG: No IATA: No

### Special precautions for user

no data available

### Transport in bulk according to IMO instruments

no data available

# **SECTION 15: Regulatory information**

Safety, health and environmental regulations specific for the product in question European Inventory of Existing Commercial Chemical Substances (EINECS) Listed. **EC Inventory** Listed. United States Toxic Substances Control Act (TSCA) Inventory Listed. China Catalog of Hazardous chemicals 2015 Listed. New Zealand Inventory of Chemicals (NZIoC) Listed. (PICCS) Listed. Vietnam National Chemical Inventory Listed. IECSC) Listed. Korea Existing Chemicals List (KECL) Listed.

### **SECTION 16: Other information**

## Abbreviations and acronyms

CAS: Chemical Abstracts Service

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road

RID: Regulation concerning the International Carriage of Dangerous Goods by Rail

IMDG: International Maritime Dangerous Goods

IATA: International Air Transportation Association

TWA: Time Weighted Average

STEL: Short term exposure limit

LC50: Lethal Concentration 50%

LD50: Lethal Dose 50%

EC50: Effective Concentration 50%

### References

IPCS - The International Chemical Safety Cards (ICSC), website: http://www.ilo.org/dyn/icsc/showcard.home

HSDB - Hazardous Substances Data Bank, website: https://toxnet.nlm.nih.gov/newtoxnet/hsdb.htm

IARC - International Agency for Research on Cancer, website: http://www.iarc.fr/

eChemPortal - The Global Portal to Information on Chemical Substances by OECD, website:

http://www.echemportal.org/echemportal/index?pageID=0&request\_locale=en

CAMEO Chemicals, website: http://cameochemicals.noaa.gov/search/simple

ChemIDplus, website: http://chem.sis.nlm.nih.gov/chemidplus/chemidlite.jsp

ERG - Emergency Response Guidebook by U.S. Department of Transportation, website:

http://www.phmsa.dot.gov/hazmat/library/erg

Germany GESTIS-database on hazard substance, website: http://www.dguv.de/ifa/gestis-stoffdatenbank/index-2.jsp

ECHA - European Chemicals Agency, website: https://echa.europa.eu/

### Other Information

Do NOT take working clothes home.

Disclaimer: The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. We as supplier shall not be held liable for any