## Chemical Book India

# Chemical Safety Data Sheet MSDS / SDS

# $(1\alpha, 2\alpha, 3\alpha, 4\beta, 5\beta, 6\beta)$ -1,2,3,4,5,6-hexachlorocyclohexane SDS

Revision Date: 2024-04-25 Revision Number: 1

Section 2 Section 1 Section 3 Section 4 Section 5 Section 6 Section 7 Section 8 Section 9 Section 10 Section 11 Section 12 Section 13 Section 14 Section 15 Section 16

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### Product identifier

Product name:  $(1\alpha, 2\alpha, 3\alpha, 4\beta, 5\beta, 6\beta)$ -1,2,3,4,5,6-hexachlorocyclohexane

CAS: 6108-10-7

## Relevant identified uses of the substance or mixture and uses advised against

Relevant identified For R&D use only. Not for medicinal, household or other use.

uses:

Uses advised none

against:

# Company Identification

Company: Chemicalbook.in

Address: 5 vasavi Layout Basaveswara Nilayam Pragathi Nagar Hyderabad, India -500090

Telephone: +91 9550333722

# **SECTION 2: Hazards identification**

### Classification of the substance or mixture

no data available

# GHS label elements, including precautionary statements

Signal word no data available

Hazard statement(s)

no data available

Precautionary statement(s)

Prevention

no data available

Response

no data available

Storage

no data available

Disposal

no data available

Other hazards which do not result in classification

no data available

# **SECTION 3: Composition/information on ingredients**

Substance

Chemical name:  $(1\alpha, 2\alpha, 3\alpha, 4\beta, 5\beta, 6\beta)$ -1,2,3,4,5,6-hexachlorocyclohexane

Common names and

 $(1\alpha, 2\alpha, 3\alpha, 4\beta, 5\beta, 6\beta)$ -1,2,3,4,5,6-hexachlorocyclohexane

synonyms:

CAS number: 6108-10-7 EC number: 228-068-9

Concentration: 100%

#### **SECTION 4: First aid measures**

## Description of necessary first-aid measures

#### If inhaled

Fresh air, rest. Seek medical attention if you feel unwell.

# Following skin contact

Wear protective gloves when administering first aid. Remove contaminated clothes. Rinse and then wash skin with water and soap. Seek medical attention if you feel unwell.

## Following eye contact

Rinse with plenty of water (remove contact lenses if easily possible).

### Following ingestion

Rinse mouth. Give a slurry of activated charcoal in water to drink, but NOT if convulsions occur. Refer immediately for medical attention.

## Most important symptoms/effects, acute and delayed

ACUTE/CHRONIC HAZARDS: Highly toxic. May cause irritation on contact. Hazardous decomposition products. (NTP, 1992) Excerpt from ERG Guide 151 [Substances - Toxic (Non-combustible)]: Highly toxic, may be fatal if inhaled, swallowed or absorbed through skin. Avoid any skin contact. Effects of contact or inhalation may be delayed. Fire may produce irritating, corrosive and/or toxic gases. Runoff from fire control or dilution water may be corrosive and/or toxic and cause pollution. (ERG, 2016) ACUTE/CHRONIC HAZARDS: Highly toxic carcinogen. May cause irritation on contact. Hazardous decomposition products. (NTP, 1992)

Lindane is a stimulant of the nervous system, causing violent convulsions that are rapid in onset and generally followed by death or recovery within 24 hours. The probable human oral lethal dose is 50-500 mg/kg, or between 1 teaspoon and 1 ounce for a 150-lb (70 kg) person. (EPA, 1998)

ACUTE/CHRONIC HAZARDS: Carcinogen. Toxic. Irritant. Hazardous decomposition product. (NTP, 1992)

### Indication of immediate medical attention and special treatment needed, if necessary

Basic treatment: Establish a patent airway. Suction if necessary. Watch for signs of respiratory insufficiency and assist ventilations if necessary. Administer oxygen by nonrebreather mask at 10 to 15 L/min. Monitor for pulmonary edema and treat if necessary. Anticipate seizures and treat if necessary . For eye contamination, flush eyes immediately with water. Irrigate each eye continuously with normal saline during transport . Do not use emetics. For ingestion, rinse mouth and administer 5 mL/kg up to 200 mL of water for dilution if the patient can swallow, has a strong gag reflex, and does not drool. Administer activated charcoal .

# **SECTION 5: Firefighting measures**

# Suitable extinguishing media

This compound is not very flammable but any fire involving this compound may produce dangerous vapors. You should evacuate the area. All firefighters should wear full-body protective clothing and use self-contained breathing apparatuses. You should extinguish any fires involving this chemical with a dry chemical, carbon dioxide, foam, or halon extinguisher. (NTP, 1992)

### Specific hazards arising from the chemical

Excerpt from ERG Guide 151 [Substances - Toxic (Non-combustible)]: Non-combustible, substance itself does not burn but may decompose upon heating to produce corrosive and/or toxic fumes. Containers may explode when heated. Runoff may pollute waterways. (ERG, 2016)

Excerpt from ERG Guide 151 [Substances - Toxic (Non-combustible)]: Non-combustible, substance itself does not burn but may decompose upon heating to produce corrosive and/or toxic fumes. Containers may explode when heated. Runoff may pollute waterways. (ERG, 2016)

Excerpt from ERG Guide 151 [Substances - Toxic (Non-combustible)]: Non-combustible, substance itself does not burn but may decompose upon heating to produce corrosive and/or toxic fumes. Containers may explode when heated. Runoff may pollute waterways. (ERG, 2016)

When heated to decomposition, this compound emits toxic fumes of chlorine, hydrochloric acid, and phosgene. (EPA, 1998) Excerpt from ERG Guide 154 [Substances - Toxic and/or Corrosive (Non-Combustible)]: Non-combustible, substance itself does not burn but may decompose upon heating to produce corrosive and/or toxic fumes. Some are oxidizers and may ignite combustibles (wood, paper, oil, clothing, etc.). Contact with metals may evolve flammable hydrogen gas. Containers may explode when heated. For electric vehicles or equipment, ERG Guide 147 (lithium ion batteries) or ERG Guide 138 (sodium batteries) should also be consulted. (ERG, 2016)

### Special protective actions for fire-fighters

Wear self-contained breathing apparatus for firefighting if necessary.

### **SECTION 6: Accidental release measures**

# Personal precautions, protective equipment and emergency procedures

Avoid dust formation. Avoid breathing mist, gas or vapours. Avoid contacting with skin and eye. Use personal protective equipment. Wear chemical impermeable gloves. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak.

### **Environmental precautions**

Personal protection: filter respirator for organic gases and particulates adapted to the airborne concentration of the substance, chemical protection suit including self-contained breathing apparatus and protective gloves. Do NOT let this chemical enter the environment. Sweep spilled substance into sealable non-metallic containers. If appropriate, moisten first to prevent dusting. Carefully collect remainder. Then store and dispose of according to local regulations.

## Methods and materials for containment and cleaning up

Liquids containing lindane should be absorbed in vermiculite, dry sand, earth, or a similar material. Lindane

# **SECTION 7: Handling and storage**

### Precautions for safe handling

Handling in a well ventilated place. Wear suitable protective clothing. Avoid contact with skin and eyes. Avoid formation of dust and aerosols. Use non-sparking tools. Prevent fire caused by electrostatic discharge steam.

## Conditions for safe storage, including any incompatibilities

Well closed. Store in an area without drain or sewer access. Provision to contain effluent from fire extinguishing. Separated from bases, metals and food and feedstuffs. Store in dry place. ... avoid exposure ... to extreme heat, strong alkalis, and powdered metals.

# SECTION 8: Exposure controls/personal protection

### Control parameters

### Occupational Exposure limit values

Component	(1α,2α,3α,4β,5	$(1\alpha, 2\alpha, 3\alpha, 48, 58, 68)$ -1,2,3,4,5,6-hexachlorocyclohexane				
CAS No.	6108-10-7	6108-10-7				
	Limit value - E	Limit value - Eight hours		Limit value - Short term		
	ppm	<sub>mg/m</sub> 3	ppm	<sub>mg/m</sub> 3		
Denmark	?	0,5	?	1		
	Remarks		·			

### Biological limit values

no data available

## Appropriate engineering controls

Ensure adequate ventilation. Handle in accordance with good industrial hygiene and safety practice. Set up emergency exits and the risk-elimination area.

## Individual protection measures, such as personal protective equipment (PPE)

### Eye/face protection

Wear tightly fitting safety goggles with side-shields conforming to EN 166(EU) or NIOSH (US).

# Skin protection

Wear fire/flame resistant and impervious clothing. Handle with gloves. Gloves must be inspected prior to use. Wash and dry hands. The selected protective gloves have to satisfy the specifications of EU Directive 89/686/EEC and the standard EN 374 derived from it.

# Respiratory protection

If the exposure limits are exceeded, irritation or other symptoms are experienced, use a full-face respirator.

#### Thermal hazards

no data available

# SECTION 9: Physical and chemical properties and safety characteristics

Physical state: PHYSICAL DESCRIPTION: Slightly musty odor. (NTP, 1992)

Colour: Crystals from benzene, alcohol, or xylene

Odour: Slight musty odor

Melting 141.5°C

point/freezing

point:

Boiling point or 60°C AT 0.36 mm Hg

initial boiling point and boiling range:

Flammability: Noncombustible Solid, but may be dissolved in flammable liquids.

Lower and upper

valorion

no data available

explosion

limit/flammability

limit:

Flash point: 157.5°C

Auto-ignition temperature:

Not flammable (USCG, 1999)

Decomposition

no data available

temperature:

pH: no data available

Kinematic no data available

viscosity:

Solubility: less than 1 mg/mL at 75° F (NTP, 1992)

Partition no data available

coefficient noctanol/water:

Vapour pressure: 0.14 mm Hg at 104° F (NTP, 1992)

Density and/or 1.59g/cm<sup>3</sup>

relative density:

Relative vapour

density:

(air = 1): 10

Particle no data available

characteristics:

# **SECTION 10: Stability and reactivity**

### Reactivity

Decomposes on contact with hot surfaces or flames. This produces toxic and corrosive fumes including chlorine (see ICSC 0126), hydrogen chloride (see ICSC 0163) and phosgene (see ICSC 0007). Reacts with bases and powdered metals.

Decomposes on heating and on burning. This produces toxic and corrosive fumes including chlorine (see ICSC 0126), hydrogen chloride (see ICSC 0163) and phosgene (see ICSC 0007). Reacts with bases. This produces toxic and corrosive fumes including hydrogen chloride and trichlorobenzenes (see ICSCs 0344, 1049 and 1222).

Decomposes on contact with hot surfaces or flames. This produces toxic and corrosive fumes including chlorine (see ICSC 0126),

hydrogen chloride (see ICSC 0163) and phosgene (see ICSC 0007). Reacts with bases and powdered metals. Decomposes on contact with hot surfaces or flames. This produces toxic and corrosive fumes including chlorine (see ICSC 0126), hydrogen chloride (see ICSC 0163) and phosgene (see ICSC 0007). Reacts with bases and powdered metals.

# Chemical stability

Considerable stability in acids, unstable in alkaline condition. from table

# Possibility of hazardous reactions

Not flammable.DELTA-BHC may be incompatible with strong oxidizing and reducing agents. Incompatible with some amines, nitrides, azo/diazo compounds, with alkali metals, and with epoxides.

#### Conditions to avoid

no data available

## Incompatible materials

Incompatible with alkaline materials.

# Hazardous decomposition products

When heated to decomposition it emits toxic fumes of /hydrogen chloride, HCl, and phosgene/.

# **SECTION 11: Toxicological information**

Acute toxicity

Oral: LD50 Rat oral 6 g/kg

Inhalation: LC50 Rat inhalation 1.56 mg/L

Dermal: no data available

#### Skin corrosion/irritation

no data available

## Serious eye damage/irritation

no data available

### Respiratory or skin sensitization

no data available

# Germ cell mutagenicity

no data available

## Carcinogenicity

CLASSIFICATION: C; possible human carcinogen. BASIS FOR CLASSIFICATION: Increases in benign liver tumors in CF1 mice fed beta-HCH. HUMAN CARCINOGENICITY DATA: Inadequate.

# Reproductive toxicity

Limited information is available regarding the reproductive or developmental effects of lindane in humans. The one available study reported increased levels (not statistically significant) of follicle stimulating hormone and decreased levels of testosterone in men occupationally exposed to lindane. It is not known whether these hormonal changes could result in diminished reproductive capability. Animal studies have reported reproductive effects, such as decreased sperm count, increased testicular weight, and disruption of spermatogenesis from oral exposure to lindane. Disrupted ovarian cycling and reduced ovulation rate were reported in female animals exposed to lindane by gavage (experimentally placing the chemical in the stomach). Lindane has not been reported to cause developmental effects, such as birth defects, in animals via oral exposure.

# STOT-single exposure

no data available

# STOT-repeated exposure

no data available

# Aspiration hazard

no data available

# **SECTION 12: Ecological information**

#### **Toxicity**

Toxicity to fish: LC50 Danio rerio (Zebra danio) 1780 ug/L/24 hr (95% confidence limit: 1320-3590 ug/L); static /formulated product

Toxicity to daphnia and other aquatic invertebrates: LC50 Daphnia magna (Water flea) 1.64 mg/L/24 hr (95% confidence limit: 1.15-1.78 mg/L); static

Toxicity to algae: no data available

Toxicity to microorganisms: no data available

### Persistence and degradability

AEROBIC: beta-Hexachlorocyclohexane is expected to be recalcitrant under aerobic conditions(SRC). No biodegradation of beta-hexachlorocyclohexane was observed in contaminated soil from Hengelo, Netherlands over a 100 day incubation period(1). No biodegradation of beta-hexachlorocyclohexane was observed in contaminated moist soils or slurries over a 40 week incubation period(2) and no biodegradation of beta-hexachlorocyclohexane was observed in hexachlorocyclohexane contaminated moist soils or slurries over a 23 week incubation period(3). Approximately 30 percent biodegradation was observed for beta-hexachlorocyclohexane after 570 days in a field test in Japan using agricultural plots(4). The half-life of beta-hexachlorocyclohexane on cropped and uncropped soils was reported as 184 and 100 days, respectively(5). Pure cultures of Pseudomonas sp, isolated from sugarcane soil, completely biodegraded beta-hexachlorocyclohexane under aerobic conditions in 72 hours(6).

### Bioaccumulative potential

An avg log BCF of 2.8 (BCF = 631) was reported for beta-hexachlorocyclohexane(SRC) in various fish in a flowing water simulator(1). According to a classification scheme(2), this BCF value suggests that bioconcentration in aquatic organisms is high(SRC).

## Mobility in soil

Experimentally determined log Koc values of 3.4-4.1 were reported in 2 oil contaminated soils(1). According to a classification scheme(2), these Koc values suggest that beta-hexachlorocyclohexane is expected to have low mobility in soil(SRC).

#### Other adverse effects

no data available

# **SECTION 13: Disposal considerations**

### Disposal methods

#### Product

The material can be disposed of by removal to a licensed chemical destruction plant or by controlled incineration with flue gas scrubbing. Do not contaminate water, foodstuffs, feed or seed by storage or disposal. Do not discharge to sewer systems.

# Contaminated packaging

Containers can be triply rinsed (or equivalent) and offered for recycling or reconditioning. Alternatively, the packaging can be punctured to make it unusable for other purposes and then be disposed of in a sanitary landfill. Controlled incineration with flue gas scrubbing is possible for combustible packaging materials.

# **SECTION 14: Transport information**

#### **UN Number**

ADR/RID: no data available IMDG: no data available IATA: no data available

# **UN Proper Shipping Name**

ADR/RID: no data available IMDG: no data available IATA: no data available

# Transport hazard class(es)

ADR/RID: no data available IMDG: no data available IATA: no data available

# Packing group, if applicable

ADR/RID: no data available IMDG: no data available IATA: no data available

#### **Environmental hazards**

ADR/RID: No

IMDG: No IATA: No

# Special precautions for user

no data available

# Transport in bulk according to IMO instruments

no data available

# **SECTION 15: Regulatory information**

Safety, health and environmental regulations specific for the product in question

European Inventory of Existing Commercial Chemical Substances (EINECS)

Listed.

**EC Inventory** 

Listed.

United States Toxic Substances Control Act (TSCA) Inventory

Listed.

China Catalog of Hazardous chemicals 2015

Not Listed.

New Zealand Inventory of Chemicals (NZIoC)

Not Listed.

(PICCS)

Not Listed.

Vietnam National Chemical Inventory

Not Listed.

IECSC)

Not Listed.

#### Korea Existing Chemicals List (KECL)

Not Listed.

#### **SECTION 16: Other information**

# Abbreviations and acronyms

CAS: Chemical Abstracts Service

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road

RID: Regulation concerning the International Carriage of Dangerous Goods by Rail

IMDG: International Maritime Dangerous Goods

IATA: International Air Transportation Association

TWA: Time Weighted Average

STEL: Short term exposure limit

LC50: Lethal Concentration 50%

LD50: Lethal Dose 50%

EC50: Effective Concentration 50%

#### References

IPCS - The International Chemical Safety Cards (ICSC), website: http://www.ilo.org/dyn/icsc/showcard.home

HSDB - Hazardous Substances Data Bank, website: https://toxnet.nlm.nih.gov/newtoxnet/hsdb.htm

IARC - International Agency for Research on Cancer, website: http://www.iarc.fr/

eChemPortal - The Global Portal to Information on Chemical Substances by OECD, website:

http://www.echemportal.org/echemportal/index?pageID=0&request\_locale=en

CAMEO Chemicals, website: http://cameochemicals.noaa.gov/search/simple

ChemIDplus, website: http://chem.sis.nlm.nih.gov/chemidplus/chemidlite.jsp

ERG - Emergency Response Guidebook by U.S. Department of Transportation, website:

http://www.phmsa.dot.gov/hazmat/library/erg

Germany GESTIS-database on hazard substance, website: http://www.dguv.de/ifa/gestis/gestis-stoffdatenbank/index-2.jsp

ECHA - European Chemicals Agency, website: https://echa.europa.eu/

Disclaimer: The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. We as supplier shall not be held liable for any