

Chemical Safety Data Sheet MSDS / SDS

Dithallium carbonate SDS

Revision Date:2024-04-25 Revision Number:1

Section 1	Section 2	Section 3	Section 4	Section 5	Section 6	Section 7	Section 8
Section 9	Section 10	Section 11	Section 12	Section 13	Section 14	Section 15	Section 16

SECTION 1: Identification of the substance/mixture and of the company/undertaking**Product identifier**

Product name: Dithallium carbonate

CAS: 6533-73-9

Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses: For R&D use only. Not for medicinal, household or other use.

Uses advised against: none

Company Identification

Company: Chemicalbook.in

Address: 5 vasavi Layout Basaveswara Nilayam Pragathi Nagar Hyderabad, India -500090

Telephone: +91 9550333722

SECTION 2: Hazards identification**Classification of the substance or mixture**

Acute toxicity - Category 2, Oral

Acute toxicity - Category 2, Dermal

Acute toxicity - Category 2, Inhalation
Specific target organ toxicity - repeated exposure, Category 2
Hazardous to the aquatic environment, long-term (Chronic) - Category Chronic 2

GHS label elements, including precautionary statements

Pictogram(s)



Signal word

Danger

Hazard statement(s)

H300+H310+H330 Fatal if swallowed, in contact with skin or if inhaled
H373 May cause damage to organs through prolonged or repeated exposure
H411 Toxic to aquatic life with long lasting effects

Precautionary statement(s)

Prevention

P264 Wash ... thoroughly after handling.
P270 Do not eat, drink or smoke when using this product.
P262 Do not get in eyes, on skin, or on clothing.
P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing protection/...
P260 Do not breathe dust/fume/gas/mist/vapours/spray.
P271 Use only outdoors or in a well-ventilated area.
P284 [In case of inadequate ventilation] wear respiratory protection.
P273 Avoid release to the environment.

Response

P301+P316 IF SWALLOWED: Get emergency medical help immediately.
P321 Specific treatment (see ... on this label).
P330 Rinse mouth.
P302+P352 IF ON SKIN: Wash with plenty of water/...
P316 Get emergency medical help immediately.
P361+P364 Take off immediately all contaminated clothing and wash it before reuse.
P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P320 Specific treatment is urgent (see ... on this label).
P319 Get medical help if you feel unwell.
P391 Collect spillage.

Storage

P405 Store locked up.

P403+P233 Store in a well-ventilated place. Keep container tightly closed.

Disposal

P501 Dispose of contents/container to an appropriate treatment and disposal facility in accordance with applicable laws and regulations, and product characteristics at time of disposal.

Other hazards which do not result in classification

no data available

SECTION 3: Composition/information on ingredients**Substance**

Chemical name: Dithallium carbonate

Common names and synonyms: Dithallium carbonate

CAS number: 6533-73-9

EC number: 229-434-0

Concentration: 100%

SECTION 4: First aid measures**Description of necessary first-aid measures****If inhaled**

Refer for medical attention.

Following skin contact

Remove contaminated clothes. Rinse and then wash skin with water and soap. Refer immediately for medical attention .

Following eye contact

Rinse with plenty of water (remove contact lenses if easily possible).

Following ingestion

Rinse mouth. Give one or two glasses of water to drink. Refer immediately for medical attention.

Most important symptoms/effects, acute and delayed

Thallium is a digestive tract irritant and nervous system toxicant. It is classified as extremely toxic. Probable oral lethal dose (humans) is 5-50 mg/kg, or between 7 drops and 1 teaspoon for 70 kg person (150 lb.). Teratogenic effects are noted after chronic intoxication. (EPA, 1998)

Indication of immediate medical attention and special treatment needed, if necessary

Absorption, Distribution and Excretion

Retention of thallium in organ tissues is prolonged; 45% of an ingested dose of dithallium carbonate (tl_2co_3) was still present in the human body after 25 days, & thallium could be detected in cerebrospinal fluid. similar thallium retention was recorded in dogs & geese.

SECTION 5: Firefighting measures

Suitable extinguishing media

Water, carbon dioxide, foam, dry chemical. Soluble thallium cmpd

Specific hazards arising from the chemical

When heated to decomposition, it emits toxic fumes of thallium. (Non-Specific -- Thallium Salts, n.o.s.) Fire may produce irritating or poisonous gases. (EPA, 1998)

Special protective actions for fire-fighters

In case of fire in the surroundings, use appropriate extinguishing media.

SECTION 6: Accidental release measures

Personal precautions, protective equipment and emergency procedures

Personal protection: particulate filter respirator adapted to the airborne concentration of the substance and complete protective clothing. Do NOT let this chemical enter the environment. Sweep spilled substance into sealable containers. If appropriate,

moisten first to prevent dusting. Carefully collect remainder. Then store and dispose of according to local regulations.

Environmental precautions

Personal protection: particulate filter respirator adapted to the airborne concentration of the substance and complete protective clothing. Do NOT let this chemical enter the environment. Sweep spilled substance into sealable containers. If appropriate, moisten first to prevent dusting. Carefully collect remainder. Then store and dispose of according to local regulations.

Methods and materials for containment and cleaning up

Collect and arrange disposal. Keep the chemical in suitable and closed containers for disposal. Remove all sources of ignition. Use spark-proof tools and explosion-proof equipment. Adhered or collected material should be promptly disposed of, in accordance with appropriate laws and regulations.

SECTION 7: Handling and storage

Precautions for safe handling

Handling in a well ventilated place. Wear suitable protective clothing. Avoid contact with skin and eyes. Avoid formation of dust and aerosols. Use non-sparking tools. Prevent fire caused by electrostatic discharge steam.

Conditions for safe storage, including any incompatibilities

Provision to contain effluent from fire extinguishing. Store only in original container. Well closed. Separated from strong acids, strong oxidants and food and feedstuffs. Store in an area without drain or sewer access.

SECTION 8: Exposure controls/personal protection

Control parameters

Occupational Exposure limit values

TLV: (as TL): (inhalable fraction): 0.02 mg/m³, as TWA; (skin)

Biological limit values

no data available

Appropriate engineering controls

Ensure adequate ventilation. Handle in accordance with good industrial hygiene and safety practice. Set up emergency exits and the risk-elimination area.

Individual protection measures, such as personal protective equipment (PPE)

Eye/face protection

Wear safety goggles or eye protection in combination with breathing protection.

Skin protection

Protective clothing. Protective gloves.

Respiratory protection

Use local exhaust or breathing protection.

Thermal hazards

no data available

SECTION 9: Physical and chemical properties and safety characteristics

Physical state: Heavy, shiny, colorless or white crystals. Used in the manufacture of imitation diamonds. Also used in analysis to test for carbon disulfide and as a fungicide. (EPA, 1998)

Colour: HEAVY, SHINY, COLORLESS OR WHITE CRYSTALS

Odour: no data available

Melting point/freezing point: 272°C

Boiling point or initial boiling point and boiling range: 333.6°C

Flammability: Not combustible. Gives off irritating or toxic fumes (or gases) in a fire.

Lower and upper explosion limit/flammability limit: no data available

Flash point:	no data available
Auto-ignition temperature:	no data available
Decomposition temperature:	no data available
pH:	no data available
Kinematic viscosity:	no data available
Solubility:	1 PART TO 24 PARTS WATER (W/W); 1 PART TO 3.7 PARTS BOILING WATER
Partition coefficient n-octanol/water:	no data available
Vapour pressure:	Less than 1×10^{-6} mm Hg at 25 deg C
Density and/or relative density:	7.11 g/mL at 25°C(lit.)
Relative vapour density:	no data available
Particle characteristics:	no data available

SECTION 10: Stability and reactivity

Reactivity

15 mg/cu m (as Tl). Thallium (soluble cmpds, as Tl)

Decomposes on heating. This produces toxic fumes. Reacts violently with strong acids and strong oxidants.

Chemical stability

no data available

Possibility of hazardous reactions

THALLOUS CARBONATE is a carbonate salt. These salts react with acids to release carbon dioxide and water. This reaction is often exothermic.

Conditions to avoid

no data available

Incompatible materials

no data available

Hazardous decomposition products

When heated to decomp ... emits toxic fumes of thallium

SECTION 11: Toxicological information**Acute toxicity**

Oral: no data available

Inhalation: no data available

Dermal: no data available

Skin corrosion/irritation

no data available

Serious eye damage/irritation

no data available

Respiratory or skin sensitization

no data available

Germ cell mutagenicity

no data available

Carcinogenicity

CLASSIFICATION: D; not classifiable as to human carcinogenicity. BASIS FOR CLASSIFICATION: Based on the lack of carcinogenicity data in animals and humans. HUMAN CARCINOGENICITY DATA: Inadequate. ANIMAL CARCINOGENICITY DATA: None.

Reproductive toxicity

no data available

STOT-single exposure

The substance may cause effects on the gastrointestinal tract, central nervous system and peripheral nervous system. Exposure could cause hair loss. Ingestion of large amounts could cause effects on the cardiovascular system, kidneys and liver. Ingestion of large amounts could cause death. The effects may be delayed. Medical observation is indicated. See Notes.

STOT-repeated exposure

The substance may have effects on the nervous system. May cause hair loss.

Aspiration hazard

A harmful concentration of airborne particles can be reached quickly when dispersed, especially if powdered.

SECTION 12: Ecological information

Toxicity

Toxicity to fish: no data available

Toxicity to daphnia and other aquatic invertebrates: no data available

Toxicity to algae: no data available

Toxicity to microorganisms: no data available

Persistence and degradability

no data available

Bioaccumulative potential

no data available

Mobility in soil

no data available

Other adverse effects

no data available

SECTION 13: Disposal considerations**Disposal methods****Product**

The material can be disposed of by removal to a licensed chemical destruction plant or by controlled incineration with flue gas scrubbing. Do not contaminate water, foodstuffs, feed or seed by storage or disposal. Do not discharge to sewer systems.

Contaminated packaging

Containers can be triply rinsed (or equivalent) and offered for recycling or reconditioning. Alternatively, the packaging can be punctured to make it unusable for other purposes and then be disposed of in a sanitary landfill. Controlled incineration with flue gas scrubbing is possible for combustible packaging materials.

SECTION 14: Transport information**UN Number**

ADR/RID: UN1707 (For reference only, please check.)

IMDG: UN1707 (For reference only, please check.)

IATA: UN1707 (For reference only, please check.)

UN Proper Shipping Name

ADR/RID: THALLIUM COMPOUND, N.O.S. (For reference only, please check.)

IMDG: THALLIUM COMPOUND, N.O.S. (For reference only, please check.)

IATA: THALLIUM COMPOUND, N.O.S. (For reference only, please check.)

Transport hazard class(es)

ADR/RID: 6.1 (For reference only, please check.)

IMDG: 6.1 (For reference only, please check.)
IATA: 6.1 (For reference only, please check.)

Packing group, if applicable

ADR/RID: II (For reference only, please check.)
IMDG: II (For reference only, please check.)
IATA: II (For reference only, please check.)

Environmental hazards

ADR/RID: Yes
IMDG: Yes
IATA: Yes

Special precautions for user

no data available

Transport in bulk according to IMO instruments

no data available

SECTION 15: Regulatory information

Safety, health and environmental regulations specific for the product in question

European Inventory of Existing Commercial Chemical Substances (EINECS)

Listed.

EC Inventory

Listed.

United States Toxic Substances Control Act (TSCA) Inventory

Listed.

China Catalog of Hazardous chemicals 2015

Listed.

New Zealand Inventory of Chemicals (NZIoC)

Not Listed.

(PICCS)

Not Listed.

Vietnam National Chemical Inventory

Not Listed.

IECSC)

Listed.

Korea Existing Chemicals List (KECL)

Listed.

SECTION 16: Other information

Abbreviations and acronyms

CAS: Chemical Abstracts Service

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road

RID: Regulation concerning the International Carriage of Dangerous Goods by Rail

IMDG: International Maritime Dangerous Goods

IATA: International Air Transportation Association

TWA: Time Weighted Average

STEL: Short term exposure limit

LC50: Lethal Concentration 50%

LD50: Lethal Dose 50%

EC50: Effective Concentration 50%

References

IPCS - The International Chemical Safety Cards (ICSC), website: <http://www.ilo.org/dyn/icsc/showcard.home>

HSDB - Hazardous Substances Data Bank, website: <https://toxnet.nlm.nih.gov/newtoxnet/hsdb.htm>

IARC - International Agency for Research on Cancer, website: <http://www.iarc.fr/>

eChemPortal - The Global Portal to Information on Chemical Substances by OECD, website:
http://www.echemportal.org/echemportal/index?pageID=0&request_locale=en

CAMEO Chemicals, website: <http://cameochemicals.noaa.gov/search/simple>

ChemIDplus, website: <http://chem.sis.nlm.nih.gov/chemidplus/chemidlite.jsp>

ERG - Emergency Response Guidebook by U.S. Department of Transportation, website:
<http://www.phmsa.dot.gov/hazmat/library/erg>

Germany GESTIS-database on hazard substance, website: <http://www.dguv.de/ifa/gestis/gestis-stoffdatenbank/index-2.jsp>

ECHA - European Chemicals Agency, website: <https://echa.europa.eu/>

Other Information

The symptoms of neurological disorders do not become manifest until after a few days. Depending on the degree of exposure, periodic medical examination is suggested. Do NOT take working clothes home. See ICSCs 0077 and 0336.

Disclaimer: The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. We as supplier shall not be held liable for any